

Secom Price List

| | | | | | | | |
|--|---|---------------------|--|---------------------|--------------------------|-----------------------|--|
| APPENDIX 1.1 30 TO 50 MHZ FLOOR MOUNT BASE STATION - Rev 1 | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | | | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| Two- way radio base station,30 to 50 MHz, with floor mount cabinet | Description | Model Number | | | | | |
| | Low-Band Base Station in 42" Cabinet | B6900S-1C10C2SC | | \$7,741.00 | 25% | \$5,805.75 | |
| | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| | | | | | | | |
| A. Multi-Channel Operation | | | | | | | |
| 1. Two channels transmit and receive | Included | | | | | | |
| 2. Three channels transmit and receive | Included | | | | | | |
| 3. Four channels transmit and receive | Included | | | | | | |
| | | | | | | | |
| B. Tone Coded/Digital Coded Squelch | Included | | | | | | |
| | | | | | | | |
| | | | | | | | |
| C. Remote Control | | | | | | | |
| 1. DC | DC Adaptor Panel | KSG-DTP2C00 | | \$345.00 | 25% | \$258.75 | |
| 2. Tone | Included Single Frequency | | | | | | |
| | | | | | | | |
| D. Remote Control Desktop Unit | | | | | | | |
| 1. DC | DC Remote | DR-10 | | \$285.50 | 25% | \$214.13 | |
| 2. Tone | Tone Remote | C-2000 HS | | \$593.00 | 25% | \$444.75 | |
| 3. Accessories | | | | | | | |
| | | | | | | | |
| OTHER BASE STATION CATALOG ACCESSORIES | | | | | | | |
| | | | | | | | |
| | VoIP Adaptor Panel | IP-223 | | \$1,500.00 | 25% | \$1,125.00 | |
| | VoIP Remote | IP-2002 | | \$1,659.00 | 25% | \$1,244.25 | |
| | 4 Frequency Tone Adaptor Panel | KSG-TTPBCD | | \$1,106.00 | 25% | \$829.50 | |
| | 600 ohm Balanced Line Driver | KSG-DTP2FDRAY | | \$275.00 | 25% | \$206.25 | |
| | | | | | | | |
| APPENDIX 2.1 150 TO 174 MHZ FLOOR MOUNT BASE STATION - ANALOG NB/WB * - Rev 1 | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | | | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| Two- way radio base station,150 to 174 MHz, with floor mount cabinet | Description | Model Number | | | | | |
| | 100 W VHF Base in 42" Cabinet | B7400S-1C10C2SC | | \$8,780.00 | 25% | \$6,585.00 | |
| | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| | | | | | | | |
| A. Multi-Channel Operation | | | | | | | |
| 1. Two channels transmit and receive | Included | | | | | | |
| 2. Three channels transmit and receive | Included | | | | | | |
| 3. Four channels transmit and receive | Included | | | | | | |
| | | | | | | | |
| B. Tone Coded/Digital Coded Squelch | Included | | | | | | |
| | | | | | | | |
| C. Repeater Operation | 100 W VHF Repeater | R7400S-1C10C2SC | | \$7,343.00 | 25% | \$5,507.25 | |
| | | | | | | | |
| D. Duplexers- for the following minimum frequency separations: | | | | | | | |
| 1. 0.5 MHz | 5"/6-Cavity Duplexer 400 kHz Min Separation | KSG-TPRD-1556 | | \$1,887.00 | 25% | \$1,415.25 | |
| 2. 1 MHz | 5"/6-Cavity Duplexer 400 kHz Min Separation | KSG-TPRD-1556 | | \$1,887.00 | 25% | \$1,415.25 | |
| 3. 3 MHz | 5"/4-Cavity Duplexer 600 kHz Min Separation | KSG-TPRD-1554 | | \$1,166.00 | 25% | \$874.50 | |
| 4. 5 MHz | 5"/4-Cavity Duplexer 600 kHz Min Separation | KSG-TPRD-1554 | | \$1,166.00 | 25% | \$874.50 | |
| 5. 8 MHz | 5"/4-Cavity Duplexer 600 kHz Min Separation | KSG-TPRD-1554 | | \$1,166.00 | 25% | \$874.50 | |
| | | | | | | | |
| E. Remote Control | | | | | | | |
| 1. DC | DC Adaptor Panel | KSG-DTP2C00 | | \$345.00 | 25% | \$258.75 | |
| 2. Tone | Included Single Freq. | | | | | | |
| | | | | | | | |
| F. Remote Control Desktop Unit | | | | | | | |
| 1. DC | DC Remote | DR-10 | | \$285.00 | 25% | \$213.75 | |
| 2. Tone | Tone Temote | C-2000 | | \$593.00 | 25% | \$444.75 | |
| 3. Accessories | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| OTHER BASE STATION CATALOG ACCESSORIES | | | | | | | |
| | VoIP Adaptor Panel | IP-223 | | \$1,500.00 | 25% | \$1,125.00 | |
| | VoIP Remote | IP-2002 | | \$1,659.00 | 25% | \$1,244.25 | |
| | 4 Frequency Tone Remote Adaptor Panel | KSG-TTPBCD | | \$1,106.00 | 25% | \$829.50 | |
| | 600 ohm Balanced Line Driver | KSG-DTP2FDRAY | | \$275.00 | 25% | \$206.25 | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 2.2 150 TO 174 MHZ FLOOR MOUNT BASE STATION - DIGITAL NB/WB* TIA 102 Standards - Rev 1 | | | | | | | |
| | NO BID | | | | | | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 3.1 450 TO 470 MHZ FLOOR MOUNT BASE STATION - ANALOG NB/WB* - Rev 1 | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | | | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| Two- way radio base station,450 to 470 MHz, with floor mount cabinet | Description | Model Number | | | | | |
| | 100 Watt UHF Base Station in 42" Cabinet | B8400S-1C10C2SC | | \$9,167.00 | 25% | \$6,875.25 | |
| | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| | | | | | | | |
| A. Multi-Channel Operation | | | | | | | |
| 1. Two channels transmit and receive | Included | | | | | | |
| 2. Three channels transmit and receive | Included | | | | | | |
| 3. Four channels transmit and receive | Included | | | | | | |
| | | | | | | | |
| B. Tone Coded/Digital Coded Squelch | Included | | | | | | |
| | | | | | | | |

Secom Price List

| | | | | | | | |
|--|--|-----------------|--|--------------|-------------------|----------------|---------------------------------|
| C. Second Receiver | Second Receiver | TKR-840 | | \$3,500.00 | 25% | \$2,625.00 | |
| D. Repeater Operation | 100 Watt UHF Repeater in 42" Cabinet | R8400S-1C10C2SC | | \$7,441.00 | 25% | \$5,580.75 | |
| D. Duplexer- 5 MHz | 4"/6 Cavity Duplexer | KSG-TPRD-4546 | | | | | |
| E. Remote Control | | | | | | | |
| 1. DC | DC Adaptor Panel | KSG-DTP2C00 | | \$345.00 | 25% | \$258.75 | |
| 2. Tone | Included Single Freq. | | | | | | |
| F. Remote Control Desktop Unit | | | | | | | |
| 1. DC | DC Remote | DR-10 | | \$285.00 | 25% | \$213.75 | |
| 2. Tone | Tone Temote | C-2000 | | \$593.00 | 25% | \$444.75 | |
| 3. Accessories | | | | | | | |
| OTHER BASE STATION CATALOG ACCESSORIES | | | | | | | |
| | VoIP Adaptor Panel | IP-223 | | \$1,500.00 | 25% | \$1,125.00 | |
| * NB is Narrowband equipment and WB is Wideband equipment. | VoIP Remote | IP-2002 | | \$1,659.00 | 25% | \$1,244.25 | |
| | 4 Frequency Tone Remote Adaptor Panel | KSG-TTPBCD | | \$1,106.00 | 25% | \$829.50 | |
| | 600 ohm Balanced Line Driver | KSG-DTP2FDRAY | | \$275.00 | 25% | \$206.25 | |
| APPENDIX 3.2 450 TO 470 MHZ FLOOR MOUNT BASE STATION - DIGITAL NB/WB* TIA 102 Standards- Rev 1 | NO BID | | | | | | |
| APPENDIX 4.1 150 to 174 MHz DESKTOP BASE STATION - ANALOG NB/WB* - Rev 1 | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| Two- way radio base station,150 to 174 MHz, 25 watts RF output, 128 channels T&R local control -Analog NB/WB | | | | | | | |
| | TK-790 VHF Control Station | TK-790BK-DTBS | | \$1,113.00 | 30% | \$779.10 | |
| | TK-790H High Power VHF Control Station | TK-790HBK-DTBS | | \$1,681.00 | 30% | \$1,176.70 | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Programming | L-854 | | \$30.00 | 30% | \$21.00 | |
| B. Tone Coded/Digital Coded Squelch | Included | | | | | | |
| C. Backup Power Operation | Battery Relay Kit | Dur-LPBC | | \$63.00 | 30% | \$44.10 | |
| | Battery Relay Kit for High Power Base | Dur LBC25 | | \$76.00 | 30% | \$53.20 | |
| D. Remote Control Operation | | | | | | | 0.7 |
| 1. DC | DC Terminataion Panel | KSG-DTP2C00 | | \$345.00 | 25% | \$258.75 | |
| 2. Tone | Multi Frequency Tone Remote Panel | DSP-223 | | \$577.00 | 25% | \$432.75 | |
| 3. Digital | VoIP Dual Line Adaptor Panel | IP-223 | | \$1,500.00 | 25% | \$1,125.00 | |
| | CPI Digital Remote Adaptor Panel | MCP-401 | | \$480.00 | 25% | \$360.00 | |
| F. Remote Control Desktop Unit | | | | | | | |
| 1. DC | DC Remote | DR-10 | | \$285.50 | 25% | \$214.13 | |
| 2. Tone | Multi Frequency Tone Remote | C-2000-HS | | \$593.00 | 25% | \$444.75 | |
| 3. Digital | VoIP Dual Line Remote | IP-2002 | | \$1,659.00 | 25% | \$1,244.25 | |
| | CPI Digital Remote | MCR411-Alpha | | \$692.25 | 25% | \$519.19 | |
| 4. Accessories | See Attached Price List | | | | | | |
| OTHER BASE STATION CATALOG ACCESSORIES | | | | | | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| APPENDIX 4.2 150 TO 174 MHZ DESKTOP BASE STATION - DIGITAL -NB/WB* TIA 102 STANDARDS - Rev 1 | NO BID | | | | | | |
| APPENDIX 5.1 450 TO 470 MHZ DESKTOP BASE STATION - ANALOG NB/WB* - Rev 1 | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| Two- way radio base station,450 to 470 MHz, 25 watts RF power output,128 channels T&R, local control | | | | | | | |
| | TK-890 UHF Control Station | TK-890BK-DTBS | | \$1,163.00 | 30% | \$814.10 | |
| | TK-890H High Power UHF Control Station | TK-890HBK-DTBS | | \$1,731.00 | 30% | \$1,211.70 | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Programming | L-854 | | | | | |
| B. Tone Coded/Digital Coded Squelch | | | | | | | |
| C. Backup Power Operation | Battery Relay Kit | Dur-LPBC | | \$63.00 | 30% | \$44.10 | |
| | Battery Relay Kit for High Power Base | Dur LBC25 | | \$76.00 | 30% | \$53.20 | |
| D. Remote Control Operation | | | | | | | |
| 1. DC | DC Terminataion Panel | KSG-DTP2C00 | | \$345.00 | 25% | \$265.65 | |
| 2. Tone | Multi Frequency Tone Remote Panel | DSP-223 | | \$577.00 | 25% | \$444.29 | |
| 3. Digital | VoIP Dual Line Adaptor Panel | IP-223 | | \$1,500.00 | 25% | \$1,155.00 | |
| | CPI Digital Remote Adaptor Panel | MCP-401 | | \$480.00 | 25% | \$369.60 | |
| F. Remote Control Desktop Unit | | | | | | | |
| 1. DC | DC Remote | DR-10 | | \$285.50 | 25% | \$219.84 | |
| 2. Tone | Multi Frequency Tone Remote | C-2000-HS | | \$593.00 | 25% | \$456.61 | |
| 3. Digital | VoIP Dual Line Remote | IP-2002 | | \$1,659.00 | 25% | \$1,277.43 | |
| | CPI Digital Remote | MCR411-Alpha | | \$692.25 | 25% | \$533.03 | |

Secom Price List

| | | | | | | | |
|--|--|----------------|--|--------------|-------------------|----------------|---------------------------------|
| 4. Accessories | See Attached Price List | | | | | | |
| | | | | | | | |
| OTHER BASE STATION CATALOG ACCESSORIES | | | | | | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| APPENDIX 5.2 450 TO 470 MHZ DESKTOP BASE STATION - DIGITAL-NB/WB* TIA 102 STANDARDS - Rev 1 | NO Bid | | | | | | |
| | | | | | | | |
| APPENDIX 6.1 30 to 50 MHz MOBILE UNIT - ANALOG - Rev 1 | | | | | | | |
| | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , mobile unit, 30 to 50 MHz, 16 channels (minimum), front mount | | | | | | | |
| | 32 Channel Mobile (Specify Freq.) | TK-6110K | | \$750.00 | 30% | \$525.00 | |
| 2. Two- way radio , mobile unit, 30 to 50 MHz, 16 channels (minimum), trunk mount | | | | | | | |
| | 160 Channel Mobile (Specify Freq.) | TK-690HBK9BHS1 | | \$1,574.00 | 30% | \$1,101.80 | |
| | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Programming for TK-6110K | L-911 | | \$25.00 | 30% | \$17.50 | |
| | Programming for TK-690 | L-854 | | \$30.00 | 30% | \$21.00 | |
| B. Tone Coded/Digital Coded Squelch | | Standard | | No Charge | | | |
| | | | | | | | |
| C. Multi-channel Monitor w/ priority | | Standard | | No Charge | | | |
| | | | | | | | |
| D. Antenna options | 1/4 Wave, 30-34 MHz | NMO-30CK | | \$58.60 | 30% | \$41.02 | |
| | 1/4 Wave, 34-40 MHz | NMO-34CK | | \$58.60 | 30% | \$41.02 | |
| | 1/4 Wave, 40-50 MHz | NMO-40CK | | \$58.60 | 30% | \$41.02 | |
| OTHER MOBILE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY PRICE PAGES | | | | 30% | | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 7.1 150 to 174 MHz MOBILE UNIT - PUBLIC SAFETY - ANALOG NB/WB* - Rev 1 | | | | | | | |
| | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , mobile unit, 150 to 174 MHz, 16 channels (minimum), front mount | | | | | | | |
| | 160 Channel, Front Mount, Medium Power | TK-790K | | \$1,013.00 | 30% | \$709.10 | |
| | 160 Channel, Front Mount, High Power | TK-790HBK9BHD1 | | \$1,508.00 | 30% | \$1,055.60 | |
| | | | | | | | |
| 2. Two- way radio , mobile unit, 150 to 174 MHz, 16 channels (minimum), trunk mount | | | | | | | |
| | 160Channel Trunk Mt., Medium Power | TK-790BK9BMSH1 | | \$1,253.00 | 30% | \$877.10 | |
| | 160 Channel Trunk Mount, High Power | TK-790HBK9BHS1 | | \$1,734.00 | 30% | \$1,213.80 | |
| 3. Two- way radio , mobile unit, 150 to 174 MHz, 16 channels (minimum), motorcycle mount | | | | | | | |
| | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Factory Programming | L-854 | | \$30.00 | 30% | \$21.00 | |
| | | | | | | | |
| B. Tone Coded/Digital Coded Squelch | | No Charge | | No Charge | | | |
| | | | | | | | |
| C. Multi-channel Monitor w/ priority | | No Charge | | No Charge | | | |
| | | | | | | | |
| D. Antenna options | 3dBd Gain Antenna, 5/8 Wave | NMO-150CK | | \$55.20 | 30% | \$38.64 | |
| | Unity Gain Antenna, 1/4 Wave | NMOQW152K | | \$25.00 | 30% | \$17.50 | |
| E. PA/SIREN - PA/SIREN controls integral part of radio control unit | | | | | | | |
| | | | | | | | |
| F. PA/SIREN - PA/SIREN control unit mounted separately from radio control unit | | | | | | | |
| | | | | | | | |
| OTHER MOBILE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY SHEETS | | | | 30% | | |
| | | | | | | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| APPENDIX 7.2 150 TO 174 MHZ MOBILE UNIT - PUBLIC SAFETY- DIGITAL - NB/WB*- TIA 102 STANDARDS - Rev 1 | NO BID | | | | | | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 7.3 150 to 174 MHz MOBILE UNIT - UTILITY - ANALOG NB/WB* - Rev 1 | | | | | | | |
| | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , mobile unit, 150 to 174 MHz, 8 channels (minimum), front mount | | | | | | | |
| | 8 Channel Mobile | TK-762GK | | \$409.00 | 30% | \$286.30 | |
| | 8 Channel Mobile - High Power | TK-762HGK | | \$450.00 | 30% | \$315.00 | |
| | 128 Channel Mobile | TK-760GK | | \$472.00 | 30% | \$330.40 | |
| | 128 Channel Mobile - High Power | TK-760HGK | | \$565.00 | 30% | \$395.50 | |

| Secom Price List | | | | | | | |
|--|---------------------------------------|----------------|--|--------------|------------------------------|----------------|------------------------------------|
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Factory Programming | L-136 | | \$20.00 | 30% | \$14.00 | |
| B. Tone Coded/Digital Coded Squelch | | No Charge | | No Charge | | | |
| C. Antenna options | 3dBd Gain Antenna, 5/8 wave | NMO-150CK | | \$55.20 | 30% | \$38.64 | |
| | Unity Gain, 1/4 wave | NMOQW152K | | \$25.00 | 30% | \$17.50 | |
| OTHER MOBILE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY SHEET | | | | 30% | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| APPENDIX 8.1 450 to 470 MHz MOBILE UNIT - PUBLIC SAFETY - ANALOG NB/WB* - Rev 1 | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Pricing Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , mobile unit, 450 to 470 MHz, 16 channels (minimum), front mount | | | | | | | |
| | 160 Channel Front Mount, Medium Power | TK-890K | | \$1,063.00 | 30% | \$744.10 | |
| | 160 Channel Front Mount, High Power | Tk-890HBK9BHD1 | | \$1,558.00 | 30% | \$1,090.60 | |
| 2. Two- way radio , mobile unit, 450 to 470 MHz, 16 channels (minimum), trunk mount | | | | | | | |
| | 160 Channel Trunk Mount, Medium Power | TK-890BK9BMSH1 | | \$1,303.00 | 30% | \$912.10 | |
| | 160 Channel Trunk Mount, High Power | TK-890HBK9BHS1 | | \$1,784.00 | 30% | \$1,248.80 | |
| 3. Two- way radio , mobile unit, 450 to 470 MHz, 16 channels (minimum), motorcycle mount | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Factory Programming | L-854 | | \$30.00 | 30% | \$21.00 | |
| B. Tone Coded/Digital Coded Squelch | | No Charge | | No Charge | | | |
| C. Multi-channel Monitor w/ priority | | No Charge | | No Charge | | | |
| D. Antenna options | 3.4 dB Gain Antenna | NMO-450CK | | \$53.60 | 30% | \$37.52 | |
| | 1/4 Wave, Unity Gain | NMOQW450K | | \$25.00 | 30% | \$17.50 | |
| OTHER MOBILE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY PAGES | | | | 30% | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| APPENDIX 8.2 450 TO 470 MHZ MOBILE UNIT - PUBLIC SAFETY- DIGITAL - NB/WB*- TIA 102 STANDARDS - Rev 1 | | | | | | | |
| | NO BID | | | | | | |
| | | | | | | | |
| APPENDIX 8.3 450 to 470 MHz MOBILE UNIT - UTILITY - ANALOG NB/WB* - Rev 1 | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Pricing Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , mobile unit, 450 to 470 MHz, 8 channels (minimum), front mount | | | | | | | |
| | 8 Channel Mobile | TK-862GK | | \$459.00 | 30% | \$321.30 | |
| | 8 Channel High Power Mobile | TK-862HGK | | \$555.00 | 30% | \$388.50 | |
| | 128 Channel Mobile | TK-860GK | | \$502.00 | 30% | \$351.40 | |
| | 128 Channel High Power Mobile | TK-860HGK | | \$598.00 | 30% | \$418.60 | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Factory Programming | L-136 | | \$20.00 | 30% | \$14.00 | |
| B. Tone Coded/Digital Coded Squelch | | No Charge | | No Charge | | | |
| C. Antenna options | 3.4 dB Gain Antenna | NMO-450CK | | \$53.60 | 30% | \$37.52 | |
| | 1/4 Wave, Unity Gain Antenna | NMOQW450K | | \$25.00 | 30% | \$17.50 | |
| OTHER MOBILE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY PRICE LIST | | | | 30% | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| APPENDIX 9.1 30 to 50 MHz PORTABLE UNIT - ANALOG - Rev 1 | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Pricing Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , portable unit, 30 to 50 MHz, 6 channels (minimum) including battery(8 hr min, 5/5/90) and antenna | | | | | | | |
| | 16 channel, 6w portable | TK190-17-21 | | \$748.67 | 35% | \$486.63 | |
| 2. Two- way radio , portable unit, 30 to 50 MHz, with keypad, 6 channels (minimum) including battery and antenna | | | | | | | |
| | NOT AVAILABLE | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | PROGRAMMING | L-911 | | \$25.00 | 35% | \$16.25 | |

| | | | | | | | |
|---|---|----------------|--|--------------|-------------------|----------------|---------------------------------|
| Secom Price List | | | | | | | |
| B. Tone Coded/Digital Coded Squelch | NO CHARGE | NO CHARGE | | NO CHARGE | | | |
| C. Multi-channel Monitor w/ priority | NO CHARGE | NO CHARGE | | NO CHARGE | | | |
| D. Remote speaker/mic options | REMOTE SPEAKER MIC | KMC-25A | | \$92.00 | 35% | \$59.80 | |
| E. Carrying case options | LEATHERCASE W/OUT SWIVEL | KLH-78 | | \$42.00 | 35% | \$27.30 | |
| | LEATHERCASE W/SWIVEL | KLH78/6SW | | \$63.00 | 35% | \$40.95 | |
| | CORDURA CASE W/O SWIVEL | KLH-88 | | \$25.00 | 35% | \$16.25 | |
| | CORDURA CASE W/SWIVEL | KLH88/6SW | | \$46.00 | 35% | \$29.90 | |
| F. Battery options | 1500 Mah NICAD | KNB-17A | | \$67.00 | 35% | \$43.55 | |
| | AA ALKALINE BATTERY PACK | KBP-4 | | \$41.00 | 35% | \$26.65 | |
| | 1600 mAh NiMH | KNB-21N* | | \$60.00 | 35% | \$39.00 | |
| | 2100 mAh NiMH | KNB-22N* | | \$70.00 | 35% | \$45.50 | |
| G. Battery charger options | REGULAR RATE SINGLE CHARGER | KSC-19 | | \$35.00 | 35% | \$22.75 | |
| | RAPID RATE SINGLE CHARGER | KSC-24 | | \$59.00 | 35% | \$38.35 | |
| | 6-UNIT REGULAR CHARGER | KMB14/KSC19 | | \$390.00 | 35% | \$253.50 | |
| | 6-UNIT RAPID CHARGER | KMB16/KSC24 | | \$534.00 | 35% | \$347.10 | |
| H. Antenna options | STANDARD ANTENNA | KRA-21 | | \$40.00 | 35% | \$26.00 | |
| OTHER PORTABLE RADIO CATALOG ACCESSORIES SEE ATTACHED ACCESSORY SHEETS | | | | | 35% | | |
| *MUST USE KSC-24 CHARGER WITH THIS BATTERY | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 10.1 150 to 174 MHz PORTABLE UNIT - PUBLIC SAFETY - ANALOG NB/WB* | | | | | | | |
| | | | | | | | |
| UNIT DESCRIPTION/MODEL - Rev 1 | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , portable unit, 150 to 174 MHz, 16 channels (minimum) including battery (8 hr min, 5/5/90) and antenna | | | | | | | |
| | 250 Channel Portable w/1500mAh/10 Hr Battery & Antenna | TK280-14M-17 | | \$601.00 | 35% | \$390.65 | |
| 1. Two- way radio , portable unit, 150 to 174 MHz, with keypad, 16 channels (minimum) including battery and antenna | | | | | | | |
| | 250 Channel Portable w/Keypad, 1500mAh/10Hr Battery & Antenna | TK280K3-14M-17 | | \$634.00 | 35% | \$412.00 | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Programming | L-855 | | \$25.00 | 35% | \$16.25 | |
| B. Tone Coded/Digital Coded Squelch | | No Charge | | | | | |
| C. Multi-channel Monitor w/ priority | | No Charge | | | | | |
| D. Remote speaker/mic options | MIL-SPEC, Noise Canceling Speaker Mic | KMC-25 | | \$92.00 | 35% | \$59.80 | |
| E. Carrying case options | Leather carrying case w/o swivel for radio w/o keypad | KLH-75B | | \$42.00 | 35% | \$27.30 | |
| | Leather carrying case w/ swivel for radio w/o keypad | KLH-75B/6SW | | \$63.00 | 35% | \$40.95 | |
| | Leather carrying case w/o swivel for radio w/keypad | KLH-76B | | \$42.00 | 35% | \$27.30 | |
| | Leather carrying case w/swivel for radio w/keypad | KLH-76B/6SW | | \$63.00 | 35% | \$40.95 | |
| | Cordura case w/o swivel for radio w/o keypad | KLH-86 | | \$25.00 | 35% | \$16.25 | |
| | Cordura case w/o swivel for radio w/keypad | KLH-85 | | \$25.00 | 35% | \$16.25 | |
| F. Battery options | Standard 1500mAh/10 Hr Ni-Cd | KNB-17A | | \$67.00 | 35% | \$43.55 | |
| | 1600 mAh NiMH/ >10Hr @ 5-5-90 | KNB-21N** | | \$60.00 | 35% | \$39.00 | |
| | 2100 mAh NiMH/ >13HR @ 5-5-90 | KNB-22N** | | \$70.00 | 35% | \$45.50 | |
| G. Battery charger options | Regular Rate Single Unit Charger | KSC-19 | | \$35.00 | 35% | \$22.75 | |
| | Rapid Rate Single Unit Charger | KSC-24 | | \$59.00 | 35% | \$38.35 | |
| | 6-Unit Regular Rate Charger | KMB14/KSC19 | | \$390.00 | 35% | \$253.50 | |
| | 6-Unit Rapid Rate Charger | KMB16/KSC24 | | \$534.00 | 35% | \$347.10 | |
| H. Antenna options | Standard Antenna | KRA-14M | | \$17.00 | 35% | \$11.05 | |
| | Stubby Antenna | KRA-16M | | \$13.00 | 35% | \$8.45 | |
| OTHER PORTABLE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY PRICE PAGES | | | | 35% | | |
| ** Requires KSC-24 Rapid Charger | | | | | | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| APPENDIX 10.2 150 to 174 MHz PORTABLE UNIT - PUBLIC SAFETY - DIGITAL NB/WB* TIA 102 STANDARDS - Rev 1 | NO BID | | | | | | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 10.3 150 to 174 MHz PORTABLE UNIT - UTILITY - ANALOG NB/WB* - Rev 1 | | | | | | | |
| | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , portable unit, 150 to 174 MHz, 8 channels (minimum) including battery (8 hr min, 5/5/90) and antenna | | | | | | | |
| | 16 Channel Portable w/1200mAh 8Hr Battery & Antenna | TK2160-26M-25 | | \$322.00 | 35% | \$209.30 | |
| | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Factory Programming | L-953 | | \$25.00 | 35% | \$16.25 | |

Secom Price List

| | | | | | | | |
|--|--|----------------|--|--------------|-------------------|----------------|---------------------------------|
| B. Tone Coded/Digital Coded Squelch | | Standard | | No Charge | | | |
| | | | | | | | |
| C. Multi-channel Monitor w/ priority | | Standard | | No Charge | | | |
| | | | | | | | |
| D. Remote speaker/mic options | Speaker mic w/built-in 2.5mm miniature earphone jack | KMC-17 | | \$82.00 | 35% | \$53.30 | |
| | Compact Speaker Mic | KMC-21 | | \$49.00 | 35% | \$31.85 | |
| E. Carrying case options | Leather Carrying Case w/Swivel | KLH-117 | | \$47.00 | 35% | \$30.55 | |
| | | | | | | | |
| F. Battery options | Standard Ni-Cd 1200 mAh/8 Hrs @ 5-5-90 | KNB-25A | | \$49.00 | 35% | \$31.85 | |
| | Ni-MH '2000 mAh/12 Hrs @ 5-5-90 | KNB-26N | | \$67.00 | 35% | \$43.55 | |
| | Lithium Ion 1400 mAh/9 Hrs @ 5-5-90 | KNB-24L | | \$94.00 | 35% | \$61.10 | |
| G. Battery charger options | Regular Rate Single Unit Charger | KSC-30** | | \$30.00 | 35% | \$19.50 | |
| | Rapid Rate Single Unit Charger | KSC-25 | | \$59.00 | 35% | \$38.35 | |
| | 6-Unit Rapid Rate Charger | KMB16/KSC25 | | \$534.00 | 35% | \$347.10 | |
| | | | | | | | |
| H. Antenna options | Standard Helical Antenna | KRA-26M | | \$14.00 | 35% | \$9.10 | |
| | Low-Profile Helical Antenna | KRA-22M | | \$13.00 | 35% | \$8.45 | |
| OTHER PORTABLE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY PRICE LIST | | | | 35% | | |
| **WILL NOT WORK WITH THE KNB-24L LITHIUM BATTERY | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 11.1 450 to 470 MHz PORTABLE UNIT - PUBLIC SAFETY - ANALOG NB/WB* - Rev 1 | | | | | | | |
| | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , portable unit, 450 to 470 MHz, 16 channels (minimum) including battery (8 hr min, 5/5/90) and antenna | | | | | | | |
| | 250 Channel Portable w/1500mAh/10 Hr Battery & Antenna | TK380-15M-17 | | \$601.00 | 35% | \$390.65 | |
| 2. Two- way radio , portable unit, 450 to 470 MHz, with keypad, 16 channels (minimum) including battery (8 hr min, 5/5/90) and antenna | | | | | | | |
| | | TK380K4-15M-17 | | \$651.00 | 35% | \$423.15 | |
| | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| | | | | | | | |
| A. Factory Programming | Factory Programming | L-855 | | \$25.00 | 35% | \$16.25 | |
| | | | | | | | |
| B. Tone Coded/Digital Coded Squelch | | Standard | | No Charge | | | |
| | | | | | | | |
| C. Multi-channel Monitor w/ priority | | Standard | | No Charge | | | |
| | | | | | | | |
| D. Remote speaker/mic options | MIL-SPEC, Noise Canceling Speaker Mic | KMC-25 | | \$92.00 | 35% | \$59.80 | |
| | | | | | | | |
| E. Carrying case options | Leather carrying case w/o swivel for radio w/o keypad | KLH-75B | | \$42.00 | 35% | \$27.30 | |
| | Leather carrying case w/swivel for radio w/o keypad | KLH-75B/6SW | | \$63.00 | 35% | \$40.95 | |
| | Leather carrying case w/o swivel for radio w/keypad | KLH-76B | | \$42.00 | 35% | \$27.30 | |
| | Leather carrying case w/swivel for radio w/keypad | KLH-76B/6SW | | \$63.00 | 35% | \$40.95 | |
| | Cordura Case w/o swivel for radio w/o keypad | KLH-86 | | \$25.00 | 35% | \$16.25 | |
| | Cordura Case w/o swivel for radio w/keypad | KLH-85 | | \$25.00 | 35% | \$16.25 | |
| F. Battery options | Standard 1500mAh/10 Hr Ni-Cd | KNB-17A | | \$67.00 | 35% | \$43.55 | |
| | 1600 mAh NiMH/>10HR @ 5-5-90 | KNB-21N** | | \$60.00 | 35% | \$39.00 | |
| | 2100 mAh NiMH/>13HR @ 5-5-90 | KNB-22N** | | \$70.00 | 35% | \$45.50 | |
| G. Battery charger options | Regular Rate Single Unit Charger | KSC-19 | | \$35.00 | 35% | \$22.75 | |
| | Rapid Rate Single Unit Charger | KSC-24 | | \$59.00 | 35% | \$38.35 | |
| | 6-Unit Regular Rate Charger | KMB14/KSC19 | | \$390.00 | 35% | \$253.50 | |
| | 6-Unit Rapid Rate Charger | KMB16/KSC24 | | \$534.00 | 35% | \$347.10 | |
| H. Antenna options | Standard Antenna | KRA-15M | | \$17.00 | 35% | \$11.05 | |
| | Stubby Antenna | KRA-17M | | \$13.00 | 35% | \$8.45 | |
| OTHER PORTABLE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY PRICE PAGES | | | | 35% | | |
| | | | | | | | |
| ** Requires KSC-24 Rapid Charger | | | | | | | |
| | | | | | | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 11.2 450 to 470 MHz PORTABLE UNIT - PUBLIC SAFETY - DIGITAL NB/WB* TIA 102 STANDARDS - Rev 1 | NO BID | | | | | | |
| | | | | | | | |
| | | | | | | | |
| APPENDIX 11.3 450 to 470 MHz PORTABLE UNIT - UTILITY - ANALOG NB/WB* - Rev 1 | | | | | | | |
| | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Description | Model Number | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , portable unit, 450 to 470 MHz, 8 channels (minimum) including battery (8 hr min, 5/5/5/90) and antenna | | | | | | | |
| | 16 Channel Portable w/1200mAh 8Hr Battery & Antenna | TK-3160-27M-25 | | \$338.00 | 35% | \$219.70 | |
| | | | | | | | |
| | | | | | | | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |

Secom Price List

| | | | | | | | |
|--|--|-------------|--|--------------|-------------------|----------------|---------------------------------|
| A. Factory Programming | Factory Programming | L-953 | | \$25.00 | 35% | \$16.25 | |
| B. Tone Coded/Digital Coded Squelch | | Standard | | No Charge | | | |
| C. Multi-channel Monitor w/ priority | | Standard | | No Charge | | | |
| D. Remote speaker/mic options | Speaker mic w/built-in 2.5mm miniature earphone jack | KMC-17 | | \$82.00 | 35% | \$53.30 | |
| | Compact Speaker Mic | KMC-21 | | \$49.00 | 35% | \$31.85 | |
| E. Carrying case options | Leather Carrying Case w/Swivel | KLH-117 | | \$47.00 | 35% | \$30.55 | |
| F. Battery options | Standard Ni-Cd 1200 mAh/8 Hrs 5-5-90 | KNB-25A | | \$49.00 | 35% | \$31.85 | |
| | Ni-MH 2000 mAh/12 Hrs @ 5-5-90 | KNB-26N | | \$67.00 | 35% | \$43.55 | |
| | Lithium Ion 1400 mAh/9 Hrs @ 5-5-90 | KNB-24L | | \$94.00 | 35% | \$61.10 | |
| G. Battery charger options | Regular Rate Single Unit Charger | KSC-30** | | \$30.00 | 35% | \$19.50 | |
| | Rapid Rate Single Unit Charger | KSC-25 | | \$59.00 | 35% | \$38.35 | |
| | 6-Unit Rapid Rate Charger | KMB16/KSC25 | | \$534.00 | 35% | \$347.10 | |
| H. Antenna options | Standard Helical Antenna | KRA-27M | | \$14.00 | 35% | \$9.10 | |
| | Low-Profile Helical Antenna | KRA-23M | | \$13.00 | 35% | \$8.45 | |
| OTHER PORTABLE RADIO CATALOG ACCESSORIES | SEE ATTACHED ACCESSORY PRICE LIST | | | | 35% | | |
| ** WILL NOT WORK WITH THE KNB-24L LITHIUM BATTERY | | | | | | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |
| | | | | | | | |
| APPENDIX 12 VEHICULAR REPEATER UNIT - 150 TO 174 MHz, 450 to 470 MHz - PUBLIC SAFETY - ANALOG NB/WB* | | | | | | | |
| | | | | | | | |
| UNIT DESCRIPTION/MODEL | | | | | Pricing | | |
| Note: List all models, including various power levels,multi-channels, etc., that meet or exceed required specifications. | Model/Description/ Number | Freq Sep | | Catalog MSRP | Discount off MSRP | Contract Price | Optional Volume Discount qty. % |
| 1. Two- way radio , vehicular repeater unit, 150 to 174 MHz with single unit priority | | 24 MHz | | | | | |
| | PYRAMID SVR-200VB(N) | 24 MHz | | \$1,250.00 | 25% | \$937.50 | |
| 2. Two- way radio , vehicular repeater unit, 450 to 470 MHz with single unit priority | | 20 MHz | | | | | |
| | PYRAMID SVR-200UB(N) | 20 MHz | | \$1,250.00 | 25% | \$937.50 | |
| OPTIONAL REQUIREMENTS/ACCESSORIES | | | | | | | |
| A. Factory Programming | Factory Programming | | | | | | |
| B. Tone Coded/Digital Coded Squelch | Tone Coded Squelch | | | | | | |
| C. Antenna options | NMOQSPEC-K-BNC | | | \$39.70 | 25% | \$29.77 | |
| D. Interconnecting Cables | SEE ATTACHED PRICE LIST | | | | 25% | | |
| OTHER VEHICULAR REPEATER RADIO CATALOG ACCESSORIES | | | | | | | |
| | BPF-1604 VHF Preselector | | | \$315.00 | 25% | \$236.25 | |
| | BRF-1601 VHF Notch Filter | | | \$150.00 | 25% | \$112.50 | |
| | SEE ATTACHED PRICE LIST FOR ADDITIONAL ACCESSORIES | | | | 25% | | |
| * NB is Narrowband equipment and WB is Wideband equipment. | | | | | | | |